

Art Unit: 1643

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Landon Boring on Feb. 16, 2012.

The application has been amended as follows:

In the claims:

Claims 17-20 were canceled without prejudice.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Anne Holleran, whose telephone number is (571) 272-0833. The examiner can normally be reached on Monday through Friday from 9:30 am to 5:00 pm. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Misook Yu, can be reached on (571) 272-0839. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (571) 272-1600.

Papers related to this application may be submitted to Group 1600 by facsimile transmission. The faxing of such papers must conform to the notice published in the Official

Art Unit: 1643

Gazette, 1096 OG 30 (November 15, 1989). The Official Fax number for Group 1600 is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll free).

Anne L. Holleran
Patent Examiner
/Alana Harris Dent, Ph.D./
Primary Examiner, Art Unit 1643